

4130 N 3/8"

Work Order ID 145177

145177

May 03, 2016 3:57:08 PM

Item ID: 647.7713

Accept

N900040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Strut Thread

Start Date: 5/9/2016 Start Qty: 12.00 *12*

Cust Item ID:

Required Date: 5/30/2016 Req'd Qty: 12.00 *12*

Customer:

Reference:

Approvals: Process Plan: SLA 160503 Tooling: _____ Date: _____

Run Start *NR1*

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
----------	--------------

647.7700	<u>LAZ</u> <u>AL</u> <u>SLA</u>
----------	---------------------------------

100 0.00

100

Hardinge CNC LATHE SMALL

Hardinge

Memo

4.92

Hardinge CNC Lathe Small

Machine as per folio FB149

FOLIO REV: AA

DWG REV: A

Deburr

110

QC2- Inspect parts off machine FAI/FAIB

0.00

110

QC

Memo

0.12

Quality Control

DAS
49

9-89

16/05/30

DAS
49

9-89

16/05/30

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width:100%; border: none;"> <tr> <td style="border: none;">Skid-tube ☐</td> <td style="border: none;">Cross tube ☐</td> <td style="border: none;">Water Jet ☐</td> <td style="border: none;">Engineering ☐</td> </tr> <tr> <td style="border: none;">Machining ☐</td> <td style="border: none;">Small Fab ☐</td> <td style="border: none;">Prod. Eng. Coord. ☐</td> <td style="border: none;">Quality ☐</td> </tr> <tr> <td style="border: none;">Thermoforming ☐</td> <td style="border: none;">Finishing ☐</td> <td style="border: none;">Rec/Store/Packaging ☐</td> <td style="border: none;">Other ☐</td> </tr> <tr> <td style="border: none;">Large Fab ☐</td> <td style="border: none;">Composite ☐</td> <td style="border: none;">Supplier ☐</td> <td style="border: none;"></td> </tr> </table>				Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐																																																											
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																																																																												
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																																																																												
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																																																																												
Large Fab ☐	Composite ☐	Supplier ☐																																																																													
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval																																																																											
Description Work Order Deviation			Disposition																																																																												
						Completed By																																																																									
						Lead hand / Supervisor Approval Verification																																																																									
			QC / QA Coordinator Approval																																																																												
<table style="width:100%; border: none;"> <tr> <td colspan="3" style="text-align: center;">Root Cause</td> <td colspan="3" style="text-align: center;">FAULT CATEGORY</td> </tr> <tr> <td style="border: none;">Environment ☐</td> <td style="border: none;">☐ No Re-verification</td> <td style="border: none;">☐ Pressure/Forced</td> <td style="border: none;">☐ Temperature/Cure</td> <td style="border: none;">☐ Power Loss/Surge</td> <td style="border: none;">☐ Positioned Wrong</td> </tr> <tr> <td style="border: none;">Design ☐</td> <td style="border: none;">☐ Operator</td> <td style="border: none;">☐ Bending</td> <td style="border: none;">☐ Set-up</td> <td style="border: none;">☐ Folio/Program</td> <td style="border: none;">☐ Outside Dimensions</td> </tr> <tr> <td style="border: none;">Doc/Data ☐</td> <td style="border: none;">☐ Offset/Setup</td> <td style="border: none;">☐ Centre Not Concentric</td> <td style="border: none;">☐ BOM/Route</td> <td style="border: none;">☐ Grain</td> <td style="border: none;">☐ Over/Under tolerance</td> </tr> <tr> <td style="border: none;">Equip/Tooling ☐</td> <td style="border: none;">☐ Supplier</td> <td style="border: none;">☐ Cracks</td> <td style="border: none;">☐ Broken/Damage/Defect</td> <td style="border: none;">☐ Weld</td> <td style="border: none;">☐ Part Incorrect</td> </tr> <tr> <td style="border: none;">Handling/Pre ☐</td> <td style="border: none;">☐ Training</td> <td style="border: none;">☐ Crimp/Kink/Ripple/Wave</td> <td style="border: none;">☐ Inspection Incomplete/Unqualified</td> <td style="border: none;">☐ Wrong Stock Pulled</td> <td style="border: none;">☐ Part Lost/Missing</td> </tr> <tr> <td style="border: none;">Material ☐</td> <td style="border: none;">☐ Use for Testing</td> <td style="border: none;">☐ Cuffs</td> <td style="border: none;">☐ Contamination</td> <td style="border: none;">☐ Out of Sequence</td> <td style="border: none;">☐ Part Moved</td> </tr> <tr> <td style="border: none;">Internal Transport ☐</td> <td style="border: none;">☐ Poor Information</td> <td style="border: none;">☐ Crushing</td> <td style="border: none;">☐ Countersink</td> <td style="border: none;">☐ Off-set</td> <td style="border: none;">☐ Drawing</td> </tr> <tr> <td style="border: none;">Tribal Knowledge ☐</td> <td style="border: none;">☐ Rushing</td> <td style="border: none;">☐ Heat Treat</td> <td style="border: none;">☐ Cut Too Short</td> <td style="border: none;">☐ Mislabeled</td> <td style="border: none;">☐ Finish</td> </tr> <tr> <td style="border: none;">LOA ☐</td> <td style="border: none;">☐ Product Improvement</td> <td style="border: none;">☐ Wave/Twist in Tube</td> <td style="border: none;">☐ Instructions Incomplete/Unclear</td> <td style="border: none;">☐ Fit/Function</td> <td style="border: none;">☐ Misread</td> </tr> <tr> <td style="border: none;">Substation ☐</td> <td style="border: none;">☐ Process Improvement</td> <td style="border: none;">☐ Marks/Chatter</td> <td style="border: none;">☐ Drill Holes</td> <td style="border: none;">☐ Misaligned/off center</td> <td style="border: none;">☐ Turning Sequence</td> </tr> <tr> <td style="border: none;">Past Expiry Date ☐</td> <td style="border: none;">☐ Manufacturing Process</td> <td colspan="4" rowspan="2" style="vertical-align: top;">OTHER : _____</td> </tr> <tr> <td style="border: none;">Misidentified ☐</td> <td style="border: none;">☐ Past Due</td> </tr> </table>						Root Cause			FAULT CATEGORY			Environment ☐	☐ No Re-verification	☐ Pressure/Forced	☐ Temperature/Cure	☐ Power Loss/Surge	☐ Positioned Wrong	Design ☐	☐ Operator	☐ Bending	☐ Set-up	☐ Folio/Program	☐ Outside Dimensions	Doc/Data ☐	☐ Offset/Setup	☐ Centre Not Concentric	☐ BOM/Route	☐ Grain	☐ Over/Under tolerance	Equip/Tooling ☐	☐ Supplier	☐ Cracks	☐ Broken/Damage/Defect	☐ Weld	☐ Part Incorrect	Handling/Pre ☐	☐ Training	☐ Crimp/Kink/Ripple/Wave	☐ Inspection Incomplete/Unqualified	☐ Wrong Stock Pulled	☐ Part Lost/Missing	Material ☐	☐ Use for Testing	☐ Cuffs	☐ Contamination	☐ Out of Sequence	☐ Part Moved	Internal Transport ☐	☐ Poor Information	☐ Crushing	☐ Countersink	☐ Off-set	☐ Drawing	Tribal Knowledge ☐	☐ Rushing	☐ Heat Treat	☐ Cut Too Short	☐ Mislabeled	☐ Finish	LOA ☐	☐ Product Improvement	☐ Wave/Twist in Tube	☐ Instructions Incomplete/Unclear	☐ Fit/Function	☐ Misread	Substation ☐	☐ Process Improvement	☐ Marks/Chatter	☐ Drill Holes	☐ Misaligned/off center	☐ Turning Sequence	Past Expiry Date ☐	☐ Manufacturing Process	OTHER : _____				Misidentified ☐	☐ Past Due
Root Cause			FAULT CATEGORY																																																																												
Environment ☐	☐ No Re-verification	☐ Pressure/Forced	☐ Temperature/Cure	☐ Power Loss/Surge	☐ Positioned Wrong																																																																										
Design ☐	☐ Operator	☐ Bending	☐ Set-up	☐ Folio/Program	☐ Outside Dimensions																																																																										
Doc/Data ☐	☐ Offset/Setup	☐ Centre Not Concentric	☐ BOM/Route	☐ Grain	☐ Over/Under tolerance																																																																										
Equip/Tooling ☐	☐ Supplier	☐ Cracks	☐ Broken/Damage/Defect	☐ Weld	☐ Part Incorrect																																																																										
Handling/Pre ☐	☐ Training	☐ Crimp/Kink/Ripple/Wave	☐ Inspection Incomplete/Unqualified	☐ Wrong Stock Pulled	☐ Part Lost/Missing																																																																										
Material ☐	☐ Use for Testing	☐ Cuffs	☐ Contamination	☐ Out of Sequence	☐ Part Moved																																																																										
Internal Transport ☐	☐ Poor Information	☐ Crushing	☐ Countersink	☐ Off-set	☐ Drawing																																																																										
Tribal Knowledge ☐	☐ Rushing	☐ Heat Treat	☐ Cut Too Short	☐ Mislabeled	☐ Finish																																																																										
LOA ☐	☐ Product Improvement	☐ Wave/Twist in Tube	☐ Instructions Incomplete/Unclear	☐ Fit/Function	☐ Misread																																																																										
Substation ☐	☐ Process Improvement	☐ Marks/Chatter	☐ Drill Holes	☐ Misaligned/off center	☐ Turning Sequence																																																																										
Past Expiry Date ☐	☐ Manufacturing Process	OTHER : _____																																																																													
Misidentified ☐	☐ Past Due																																																																														

Picklist Print

May 03, 2016 3:57:14 PM

Page 1

Work Order ID: 145177

145177

Parent Item: 647.7713

647 7713

Parent Item Name: Strut Thread

Start Date: 5/9/2016

Required Date: 5/30/2016

Start Qty: 12.00

Required Qty: 12.00

Comments: IPP REV:A NEW ISSUE 12-11-06 JLM VERIFIED BY:DD

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M4130NR0.375		Purchased		No			f	14.0000		2.526316			

M4130NR0 375

4130 steel RD bar .375"

Location

Loc Qty

Loc Code

MAT032

14

m133597

2

m134220

12

3.205

DAS
49
9-89

16/05/30



APICAL INDUSTRIES, INC.
dba DART AEROSPACE

TRANSACTION CODES (TC):
A-ADD C-CREATE
R-REVISE D-DELETE

ENGINEERING CHANGE NOTICE NO.

05397

SHEET 1 OF 1

DWG NO. 647.7700

REV: A

PREPARED
BY

T. CROSS

DATE: 05/02/16

EFFECT ON DWG

☐ INC. ☒ UNINC.

DWG TITLE: STRUT ASSY

APPROVED BY:

ENGR

MFG

QC

EFF:

CURRENT ORDER

REASON: REVISED DIMENSION


ECR:

16-028

ACTION LIST:

1.

SHEET 2, ZONE D4 IS:



DOCUMENTS EFFECTED:

☐ PATTERN

☐ MDL

☐ INSTALL INSTRUC

☐ ICA

☐ BOM

CHANGE CATEGORY

☐ MAJOR ☒ MINOR

DER REVIEW REQUIRED

☐ YES ☒ NO



APICAL INDUSTRIES, INC.
dba DART AEROSPACE

ENGINEERING CHANGE NOTICE NO.

05110

SHEET 1 OF 1

DWG NO. 647.7700

REV: A

PREPARED
BY

A. QUAN

DATE: 08/21/15

EFFECT ON DWG

☐ INC. ☒ UNINC.

DWG TITLE: STRUT ASSY

APPROVED BY:

ENGR

MFG

QC

EFF.

CURRENT ORDER

TRANSACTION CODES (TC):
A-ADD C-CREATE
R-REVISE D-DELETE

REASON: REVISED FINISH CALLOUT AS PER ECR 15-209

SHEET 1, NOTES IS:

ACTION: UPDATE MO & WO

NOTES:

- 1 MATERIAL: 4130 STEEL PER AMS-T-6736, .50" OD, .083" WALL THK.
- 2 MATERIAL: 4130 STEEL PER AMS-T-6736, .375" OD, .075" WALL THK.
- 3 MATERIAL: 4130 STEEL PER AMS-T-6736, .324" OD.
- 4 FINISH: PRIME IAW MIL-P-2337J TYPE I CLASS N: 1-2 MIL MAX
5. DEBURR AND BREAK ALL SHARP EDGES
6. IDENTIFY IAW MPP-120.
- 7 WELD IAW MIL-STD-2219. TIG WELD WITH FILLER ROD
- 8 FINISH: CAD PLATE IAW QQ-P-416F CLASS I TYPE II
- 9 MASK THREAD PRIOR TO FINISH


F/N	TC	PART NUMBER	QTY	DESCRIPTION	MATERIAL/SPECIFICATION
DOCUMENTS EFFECTED: ☐ MDL ☐ INSTALL INSTRUCTIONS ☐ ICA ☐ FMS ☐ BOM					
CHANGE CATEGORY				DER REVIEW REQUIRED	
☐ MAJOR ☐ MINOR				☐ YES ☐ NO	

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

NOTES:


- 1 MATERIAL: 4130 STEEL PER AMS-T-6736, .50" OD, .083" WALL THK.
- 2 MATERIAL: 4130 STEEL PER AMS-T-6736, .375" OD, .075" WALL THK.
- 3 MATERIAL: 4130 STEEL PER AMS-T-6736, .324" OD.
- 4 FINISH: PRIME IAW MIL-P-2337J TYPE I CLASS N; 1-2 MIL MAX
- 5 DEBURR AND BREAK ALL SHARP EDGES
- 6 IDENTIFY IAW MPP-120.
- 7 WELD IAW MIL-STD-2219, TIG WELD WITH FILLER ROD
- 8 FINISH: CAD PLATE IAW MIL-C-5541 CLASS 1A
- 9 MASK THREAD PRIOR TO FINISH

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
1	LAST PROTOTYPE REVISION #12		N/C
2	INITIAL RELEASE	12/02/01	P. BRAVO
3	INCORPORATED ECN 04741	11/13/14	P. BRAVO



UNINCORPORATED ECN(s)

05110, 05397



1			5	647.7714	STRUT TUBE	△	
1	1	1	4	647.7713	STRUT THREAD	△	△
1	1	1	3	647.7712	STRUT TUBE	△	
	1		2	647.7711	STRUT TUBE	△	
		1	1	647.7710	STRUT TUBE	△	
				647.7703	STRUT ASSY		△△
				647.7702	STRUT ASSY		△△
				647.7701	STRUT ASSY		△△
7703	7702	7701	FIND #	PART #	DESCRIPTION	MATL	SPEC.
QTY				PARTS LIST			
NEXT ASSY (S)				ORIGINAL DATE 11/03/01			
647.7300				DRAWN BY J. JACKSON			
646,4000				CHECKED D. BARNER			
				DRAWING APPROVAL P. BRAVO			
				CONTRACT NO.			
				UNLESS OTHERWISE SPECIFIED			
				DIMENSIONS ARE IN INCHES			
				TOLERANCES ARE:			
				3 PLACE DECIMALS ±.01			
				3 PLACE DECIMALS ±.005			
				ANGLES ±.5°			
				SCALE NONE			
				SHEET 1 OF 2			











APICAL INDUSTRIES
 2608 TEMPLE HEIGHTS DR.
 OCEANSIDE, CA. 92056-3512 (760)724-5300

STRUT ASSY

REV. NO. **647.7700**

SCALE NONE

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.



1/4 - 28 THREAD

ORIGINAL DATE
RAC-DAT-109 11/03/09
DRAWN BY
J. JACKSON
DRAWING APPROVAL
P. BRAVO

APICAL INDUSTRIES
2608 TEMPLE HEIGHTS DR.
OCEANSIDE, CA. 92056-3512 (760)724-5300

CONTRACT NO.
UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ARE:
2 PLACE DECIMALS ±.01
3 PLACE DECIMALS ±.005
ANGLES ±.5°

STRUT ASSY
SCALE: NONE
SHEET 2 OF 2

REV. NO. 647.7700
8 07M16
A

